

Message

---

**From:** Robinson, Valois [Robinson.Valois@epa.gov]  
**Sent:** 10/21/2020 2:26:26 PM  
**To:** Hildebrandt, Kurt [Hildebrandt.Kurt@epa.gov]  
**CC:** Minter, Douglas [Minter.Douglas@epa.gov]; Mindrup, Mary [Mindrup.Mary@epa.gov]  
**Subject:** RE: Dewey-Burdock AE ROD

Hi Kurt,

We don't have a UIC Program/AE reason intro section as part of our R8 template but it sounds like a great idea, especially appropriate for this particular AE. If R7 has intro template language or if you have suggestions for that, I would welcome that input.

Thanks!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
robinson.valois@epa.gov

---

**From:** Hildebrandt, Kurt <Hildebrandt.Kurt@epa.gov>  
**Sent:** Wednesday, October 21, 2020 6:51 AM  
**To:** Robinson, Valois <Robinson.Valois@epa.gov>  
**Cc:** Minter, Douglas <Minter.Douglas@epa.gov>; Mindrup, Mary <Mindrup.Mary@epa.gov>  
**Subject:** RE: Dewey-Burdock AE ROD

Valois & Douglas –


## Ex. 5 Deliberative Process (DP)

Let me know if you think that is an appropriate modification and I can work on providing some suggested verbiage.

Regards,  
Kurt

**Kurt F. Hildebrandt**

Underground Injection Control Program | Ground Water and Drinking Water Branch | Water Division  
US Environmental Protection Agency Region 7 | 11201 Renner Boulevard | Lenexa, KS 66219  
913-551-7413



Celebrating EPA's 50<sup>th</sup> Anniversary!  
[www.epa.gov/50](http://www.epa.gov/50)

---

**From:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Sent:** Tuesday, October 20, 2020 4:15 PM  
**To:** Hildebrandt, Kurt <[Hildebrandt.Kurt@epa.gov](mailto:Hildebrandt.Kurt@epa.gov)>  
**Cc:** Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>; Mindrup, Mary <[Mindrup.Mary@epa.gov](mailto:Mindrup.Mary@epa.gov)>  
**Subject:** Dewey-Burdock AE ROD

Hi Kurt,  
Thanks so much for reviewing this AE ROD! It is longer than our usual AE RODs because of all the comments we received.

## Ex. 5 Deliberative Process (DP)

Please let me know if you have any questions or would like to talk about any of this in person.

I really appreciate your help with this!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)